



**Comparison of PREMASOL Sulfite-Free (Amino Acid) Injection and TRAVASOL (Amino Acid) Injection**

	6% PREMASOL	10% PREMASOL	TRAVASOL 10%
<b>INGREDIENTS (per 100 mL)</b>			
Amino Acids	6 g	10 g	10 g
Total Nitrogen	0.93 g	1.55 g	1.65 g
<b>ESSENTIAL AMINO ACIDS</b>			
Leucine	0.84 g	1.4 g	0.73 g
Isoleucine	0.49 g	0.82 g	0.60 g
Lysine	0.49 g	0.82 g	0.58 g
Valine	0.47 g	0.78 g	0.58 g
Histidine	0.29 g	0.48 g	0.48 g
Phenylalanine	0.29 g	0.48 g	0.56 g
Threonine	0.25 g	0.42 g	0.42 g
Methionine	0.20 g	0.34 g	0.40 g
Tyrosine	0.14 g	0.24 g	0.04 g
Tryptophan	0.12g	0.20 g	0.18 g
Cysteine	< 0.014 g	< 0.016 g	-
<b>NONESSENTIAL AMINO ACIDS</b>			
Arginine	0.73 g	1.2 g	1.15 g
Proline	0.41 g	0.68 g	0.68 g
Alanine	0.32 g	0.54 g	2.07 g
Glutamic Acid	0.30 g	0.50 g	-
Serine	0.23 g	0.38 g	0.50 g
Glycine	0.22 g	0.36 g	1.03 g
Aspartic Acid	0.19 g	0.32 g	-
Taurine	0.015 g	0.025 g	-
<b>Anion Profiles per liter<sup>a</sup></b>			
Acetate <sup>b</sup>	57 mEq/L	94 mEq/L	88 mEq/L
Chloride <sup>c</sup>	< 3 mEq/L	< 3 mEq/L	40 mEq/L
<b>pH (Range)</b>			
	5.5 (5.0-6.0)	5.5 (5.0-6.0)	6.0 (5.0 to 7.0)
<b>Osmolarity (calc)</b>			
	520 mOsmol/L	865 mOsmol/L	998 mOsmol/L

<sup>a</sup>Balanced by ions from amino acids; <sup>b</sup> Derived from pH adjustment with glacial acetic acid; <sup>c</sup> Contributed by the Lysine Hydrochloride. Addition of Cysteine Hydrochloride will contribute to the Chloride load.

Please contact your Baxter Representative for ordering information.  
Please refer to the full Package Inserts for PREMASOL and TRAVASOL for more information.

Baxter, Premasol and Travasol are trademarks of Baxter International Inc.  
USMP/178/17-0001a 11/17

Baxter Healthcare Corporation. One Baxter Parkway. Deerfield, IL 60015